



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PROTECTOR-D

Chemical name: Thiram (Active)

Use of substance/preparation: Fungicide

Supplier: Chemtura Corporation
199 Benson Road
Middlebury, CT 06749 USA

Emergency telephone number: CHEMTREC (24 hours) 800-424-9300, 703-527-3887
Chemtura Corporation Emergency Response (24 hours) 800-292-5898

Environmental, Health and Safety Department: 866-430-2775

Prepared by Product Safety Department Date of Issue: 09/19/2007
(US) +1 866-430-2775
(EU) +44 (0) 1753.603.000
Email: MSDSRequest@chemtura.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION!

MAY BE HARMFUL IF INHALED, SWALLOWED, OR ABSORBED THROUGH SKIN.
CONSUMPTION OF ALCOHOL SHOULD BE AVOIDED BEFORE AND AFTER EXPOSURE.
CAUSES EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	% BY WEIGHT
Thiram CAS# 137-26-8	35
Talc CAS# 14807-96-6	20 - 30
Molybdate, disodium CAS# 7631-95-0	25.5
Graphite CAS# 7782-42-5	10 - 20



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

Ingredients not precisely identified are non-hazardous and/or proprietary.

4. FIRST AID MEASURES

Swallowing

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Eye contact

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Notes to physician

ROUTES OF ENTRY:

Inhalation

Skin

Eyes

Ingestion

Treat symptomatically.

If THIRAM is absorbed into the body it may affect the liver, kidneys, and central nervous system. Symptoms may include headache, insomnia, and nervous disorders. In severe cases symptoms may include kidney pain, dizziness, loss of memory and tremors. Alcohol intolerance may result on exposure; symptoms include flushing of the face and neck, followed by rapid heart beat, nausea, vomiting, headache and low blood pressure.

5. FIRE-FIGHTING MEASURES

NFPA CLASSIFICATION

Health: 2	Flammability: 1	Reactivity: 1	Special provisions:
------------------	------------------------	----------------------	----------------------------

Hazardous combustion products

Irritating fumes.

Oxides of carbon.

Oxides of nitrogen.

Oxides of sulfur.

Special fire fighting procedures

Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for firefighters

Body covering protective clothing, full "turn-out" gear.

Self-contained breathing apparatus.

Extinguishing media

Suitable:

Large fires:

- alcohol-type foam or universal-type foams

Small fires:

- CO2

- dry chemical

- water spray

Unsuitable:

- water jets

Unusual fire and explosion hazards

Following products may be produced during a fire: Oxides of nitrogen., Oxides of sulfur., Oxides of carbon.



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Evacuate unnecessary personnel., Avoid all contact with material., Wear suitable protective equipment.

Environmental precautions

Prevent from entering sewer system, surface water or soil.

Methods for cleaning up

Sweep up and collect in a suitable container for disposal.

Avoid dust formation.

Observe government regulations.

7. HANDLING AND STORAGE

HANDLING

Handling precautions

Wear recommended personal protection equipment., Warn personnel about the dangers of the product., Keep container tightly closed., Avoid dispersion of dust to reduce fire and explosion potential.

Other precautions

NOTE TO END-USERS: The employee protection recommendations on this MSDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.

STORAGE

Storage requirements

Store in a cool, dry place.

Further information on storage

Do not store near food, feed or fertilizers., Keep at temperatures below 49 °C (120 °F).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

<u>Component</u>	<u>Country</u>	<u>Type</u>	<u>Value</u>	<u>Remark</u>
Thiram	USA	TLV-TWA	1 ml/m3	
Talc	USA	TWA, ACGIH	2 mg/m3	Respirable fraction Non-asbestos form; otherwise, use asbestos
Graphite	USA	TLV-TWA, ACGIH	2 mg/m3	respirable fraction, all forms except graphite fibers
<u>Component</u> Molybdenum	<u>Type</u> TWA, ACGIH		<u>Value</u> 3.0 mg/m3	<u>Remark</u> Respirable fraction
	PEL-TWA, OSHA		10.0 ml/m3	Total dust
	TWA, ACGIH		10.0 mg/m3	inhalable fraction

PERSONAL PROTECTION

Respiratory protection



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

In the absence of engineering controls sufficient to maintain airborne concentrations below recommended occupational exposure limit values, appropriate respiratory protection should be utilized. The determination of appropriate respiratory protection is best performed, on a case by case basis, taking into consideration the exposure conditions of the particular operation.

The respirator manufacturer should be consulted to ensure that the air-purifying cartridges utilized will provide adequate protection for the exposure conditions and period of wear concerned.

For emergency conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure self-contained breathing apparatus.

Hand protection / protective gloves

Chemical resistant protective gloves

Eye protection

Full face shield.

Skin protection

Chemical resistant protective clothing.

Industrial hygiene measures

Before eating, drinking or smoking, wash hands and face thoroughly with soap and water.

ENGINEERING CONTROLS

Ventilation

Provide local exhaust or process enclosure ventilation system.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical state	Powder
Color	Gray
Odor	Musty

OTHER PROPERTIES

Boiling point	Not available
Melting point	Not available
pH	Not available
Bulk density	21.5 - 29 lb/ft ³
Solubility in water	Partial
Flash point	Not available

10. STABILITY AND REACTIVITY

Stability: This product is stable under normal storage and handling conditions.

Incompatible materials:

Strong acids.
Strong bases.
Copper



PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

Hazardous combustion products:

Irritating fumes.
Oxides of carbon.
Oxides of nitrogen.
Oxides of sulfur.

Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

SWALLOWING

Test results

Acute toxicity: LD50
Result: 290 mg/kg

SKIN ABSORPTION

Test results

Acute toxicity: LD50
Result: > 2,000 mg/kg

INHALATION

Test results

Acute toxicity: LC50
Result: > 8.0 mg/l
Exposure time: 4 h

SKIN CONTACT

Test results

Skin irritation: Result: Mild irritation

EYE CONTACT

Test results

Eye irritation: Result: Irritant

12. ECOLOGICAL INFORMATION

Toxic to aquatic organisms.

Table with 2 columns: Component ecotoxicology (Thiram, Acute toxicity fish) and LC50 - Rainbow trout (Oncorhynchus mykiss) (Result: 0.128 mg/l, Exposure time: 96 h)

Table with 2 columns: Component ecotoxicology (Thiram, Acute toxicity fish) and LC50 - Bluegill (Lepomis macrochirus) (Result: 0.0445 mg/l, Exposure time: 96 h)

Table with 2 columns: Component ecotoxicology (Thiram, Acute toxicity to aquatic invertebrates) and LC50 - Water flea (Daphnia magna) (Result: 0.21 ppm, Exposure time: 48 h)

13. DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations., Do not discharge to sewers and natural waters.



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
 Date of Issue: 09/19/2007
 Date printed: 09/20/2007

US waste
 In accordance with EPA/RCRA regulations 40 CFR261.33 (f) U244

14. TRANSPORT INFORMATION

DOT Classification

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Thiram)
 Class: 9
 UN ID #: UN3082
 Packing group: III
 marine pollutant: MARINE POLLUTANT

Not regulated by ground or rail if shipped or transported in containers less than 28 lbs (12.7 kg).

IMDG Classification

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.
 Class: 9
 Subsidiary risk: marine pollutant
 UN ID #: UN 3082
 Packing group: III
 Technical description (Thiram)

ICAO Classification

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.
 Class: 9
 UN ID #: UN 3082
 Packing group: III
 Technical description (Thiram)

Only regulated by air Into, Out of or Within the United States in containers 28 lbs (12.7 kg) or greater.

15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

Chemical name	RQ 10 pounds for	CAS#	Max weight %
Thiram	Thiram	137-26-8	36.05

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

Chemical name	CAS#	Max weight %
Thiram	137-26-8	36.05

EPA Hazard Categories (SARA 311, 312): Immediate Health Hazard, Delayed Health Hazard

CHEMICAL INVENTORY



MATERIAL SAFETY DATA SHEET

PROTECTOR-D

Version: 1.4
Date of Issue: 09/19/2007
Date printed: 09/20/2007

United States: This product is subject to regulation under the US Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is therefore exempt from TSCA Inventory listing requirements.

16. OTHER INFORMATION

RECOMMENDED USES AND RESTRICTIONS: NOTE TO END-USERS: This MSDS is being provided to all interested persons in accordance with federal and state right-to-know laws. Precautionary Statements, First Aid Statements and Directions for Use of this product by end-users are contained on the product label and must be followed at all times.

HMIS RATING

Health: 2	Flammability: 1	Reactivity: 1	PPI: X
------------------	------------------------	----------------------	---------------

STP	Standard temperature and pressure
W/W	Weight/Weight
0 (HMIS)	0 (HMIS)
1 (HMIS)	Slight hazard
2 (HMIS)	Moderate hazard
3 (HMIS)	Serious hazard
4 (HMIS)	Severe hazard
X (HMIS)	Personal protection rating to be supplied by user depending on use conditions

Copyright
2007
Chemtura
Corporation

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN CHEMTURA CORPORATION. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF CHEMTURA CORPORATION, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS.